



AF 系列气源处理元件(过滤器) Air Treatment Component (Filter)




▲ 产品规格 Specifications

型号 Type	AF2000-01(02)	AF3000-02(03)	AF4000-04	AF4000-06(10)
工作介质 Working fluid	空气Air			
接管口径 Port Size	PT1/8 (PT1/4)	PT1/4 (PT3/8)	PT1/2	PT3/4 (PT1)
过滤精度 Filtration	5-25um			
工作压力 working pressure	1MPa			
耐压 Proof pressure	1.5MPa			
工作温度 Working Temperature	5-60° c			
额定流量 Rated flow	750L/min	1500L/min	4000L/min	7000L/min
重量 Weights	0.19kg	0.29kg	0.55kg	1.08kg
滤水杯容量 Capacity	15cm ³	20cm ³	45cm ³	130cm ³
材质 Materials	防护杯罩 Bowl Guard	聚碳酸酯 Polycarbonate		
	容杯 Bowl	铁 Iron		
	阀体 Body	铝合金 Aluminum alloy		

图形符号 Symbol



▲ 订购码 Order Code



A

GC

GFC

GFR

GF

GR

GL

AC~5000

AC~5010

AF

AR

AL

AW

AD402

QSL


QTY

QIU


QTYH

QSL

▲ 内部结构 Internal structure







▲ 外形尺寸(毫米) Overall Dimension(mm)



型号 Type	口径 Port	A	B	C	D	E	F	G	H	J	K	L	M	P
AF2000-02	PT1/8-PT1/4	40	122	38	40	17	30	27	22	5.4	8.4	40	2.3	40
AF3000	PT1/4-PT3/8	53	142	38	53	16	41	40	23	6.5	8	53	2.3	56
AF4000-04	PT1/2	70	177	41	70	17	50	54	26	8.5	10.5	70	2.3	73
AF4000-06	PT3/4	75	177	39	70	14	50	54	25	8.5	10.5	70	2.3	73
AF5000	PT3/4-PT1	90	254	45	90	23	70	66	35	11	13	90	3.2	90

▲ 流量特性曲线 Flow Characteristics



注: Remarks
 P1=0.7Mpa
 P2=0.5Mpa
 P3=0.3Mpa
 P4=0.1Mpa

A
GC
GFC
GFR
GF
GR
GL
AC~5000
AC~5010
AF
AR
AL
AW
AD402
QSL
QTY
QIU
QTYH
QSL